

x

State

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Deepening Job

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 57183

Rec. _____ 19__

Well No. _____

Permit No. _____

Do not fill in.

Owner Jease K. Null Driller S. R. McKinney & Sons, Inc.

Address 1382 Binge Lane Address 1042 So. Main St. Lic. No. 45

Location of well: SW 1/4 NW 1/4 Sec 28, T. 20 N/S, R. 62 E, in Clark County

or _____

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 8" to 200' Weight of casing per linear foot .188 wall

Thickness of casing .188 wall Temp. of water _____

Diameter and length of casing 6" ID to 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 60'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 3/28/66 Date of completion of well 3/30/66

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
80	85	5	Clay
85	100	15	Gravel & Clay (Water)
100	120	20	White Clay
120	180	60	Brown Gravelly Clay (Water)
180	200	20	Clay & Gravel (Water)

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 180' to 200 ft.

Other aquifers 120' to 180'

85' to 100'

First water at .85' feet.

Casing perforated

from 40' to 200 ft.

Size of perforations

3/16" 3/16" x 10"

