

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57285
 Recd. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Valley Ranches & A. W. Blackman Driller S. R. McKinney & Son
 Address Box 151, Las Vegas, Nevada Address 1042 S. Main Las Vegas Lic. No. _____

Location of well: NE 1/4 NE 1/4 Sec. 29., T. 20 N/S, R. 62 E, in Clark County _____
 or PARCEL # 140-29-510-041 WELL ADDRESS 48786 VANBUREN AVE

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 50 ft, 8" to 100 Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" I.D. to 60 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 19, 1954 Date of completion of well May 19, 1954

Type of well rig Bucyrus Erie 24 L. Snudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	8	8	topsoil	
8	30	22	brown clay	Chief aquifer (water-bearing formation)
30	38	8	gravel water	from 90 to 100 ft.
38	55	17	red sand water	Other aquifers 65 to 75
55	65	10	red clay	38 to 55
65	75	10	red sand water	
75	90	15	red sandy clay	
90	100	10	red sand water	
				First water at <u>30</u> feet.
				Casing perforated from <u>40</u> to <u>60</u> ft.
				Size of perforations <u>3/16" x 10"</u>



