

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **57335**  
 Rec. .... 19.  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Richard Sweeney Driller Douglas Slagle  
 Address Arden, Nevada--P.O. Address P.O. Box 2081 L.V. Lic. No. 137  
 Location of well: SE 1/4 SW 1/4 Sec 20, T22 N, R61 E, in Clark County  
 or .....  
 Water will be used for Domestic Total depth of well 178 Ft.  
 Size of drilled hole 8 In. Weight of casing per linear foot 9.1 lbs.  
 Thickness of casing 12 Gage Temp. of water Cool  
 Diameter and length of casing 8 In. I.D. --Used 40 Ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure --  
 If nonflowing well give depth of standing water from surface 131 Ft.  
 If flowing well describe control works --  
 (Type and size of valve, etc.)  
 Date of commencement of well June 11 1953 Date of completion of well July 5 1953  
 Type of well rig Fort Worth Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Blow Sand
1	7	6	Falling Rocks & Sand
7	21	14	Wh. Clay and Rocks
21	90	69	Cemented Gravel
90	92	2	Red Clay
92	122 1/2	30 1/2	Cemented Gravel
122 1/2	131	8 1/2	White Clay and Rocks
131	136	5	White Clay
136	138	2	Cemented Gravel
Water 138	143	5	Series of Sheet Rock, Gravel and Water
143	161	18	Cemented Gravel
Water 161	174	13	Rocks, Wh. Clay and Water
174	178	4	Cemented Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from ? to ? ft.

Other aquifers 138' to 143'

161' to 174'

First water at 138 feet.

Casing perforated

from ..... to ..... ft.

Size of perforations

