

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57377

Rec. _____ 19__

Well No. _____

Permit No. _____

Do not fill in

Owner Lawrence A. Elkins Driller S. R. McKinney & Son

Address 1010 Bracken ave., Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 29., T. 20N/S, R. 62E, in Clark County

or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 ft., 8" to 100 ft. Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" O.D. to 40 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 35 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Nov 27, 1953 Date of completion of well Nov 27, 1953

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Topsoil
8	35	27	Brown clay
35	45	10	brown sand water
45	65	20	brown sandy clay
65	75	10	brown sand water
75	85	10	brown clay
85	95	10	brown sand water
95	100	5	Brown sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 95 ft.

Other aquifers 65 to 75

35 to 45

First water at 35 feet.

Casing perforated

from none to _____ ft.

Size of perforations



