

State

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 57407
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in.

Owner Mrs. M. Gaillard Driller S. R. McKinney & Sons, Inc.

Address 1400 Lamb Lane Address 1042 So. Main St. Lic. No. 45

Location of well NW 1/4 NW 1/4 Sec. 29., T. 20. N/S, R62. E, in Clark County

or _____

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" to 50' 10" to 200' Weight of casing per linear foot .116 .188

Thickness of casing .188 Temp. of water _____

Diameter and length of casing 8" ID from 0 to 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 58'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 5/19/66 Date of completion of well 5/23/66

Type of well rig Buysrus Erie 220

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Top Soil
11	21	10	Gravel
21	45	24	Brown Clay
45	50	5	Gravel & Clay
50	63	13	Clay
63	68	5	Gravel (Water)
68	110	42	Gravel & Clay
110	150	40	Brown Clay
150	160	10	Gravel & Clay (water)
160	180	20	Clay
180	200	20	Gravelly Clay (Water)

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 180' to 200' ft.

Other aquifers 63' to 68'
150' to 160'

First water at 63' feet.

Casing perforated
 from 60' to 200' ft.

Size of perforations
3/16" X 10"

