

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **57539**
 Rec. 19
 Well No.
 Permit No.

Do not fill in

Owner Mildred E. Laurita Driller Patrick H. Thompson
 Address 1036 No. Berendo, Los Angeles, Calif. Address 217 So. 26th St. Lic. No. 192
 Location of well: NE 1/4 SW 1/4 Sec. 28, T22 N/S, R 61 E, in Clark County
 or SW 1/4 NW 1/4 NE 1/4 SW 1/4 of said Section
 Water will be used for Domestic Total depth of well 190'
 Size of drilled hole 12" to 50' - 10" - 50' to 190' Weight of casing per linear foot 10.2
 Thickness of casing 10 ga. Temp. of water _____
 Diameter and length of casing 8" Dia. 190' Length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 90'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Apr. 21, 1955 Date of completion of well Apr. 26, 1955
 Type of well rig Star 71 Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Gravel
12	120	108	Cemented Gravel
120	125	5	Gravel
125	145	20	Sand and Gravel
145	160	15	Red Sandy Clay
160	190	30	Cemented gravel-Streaks of loose Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 160 to 190 ft.
 Other aquifers 120 - 145

First water at 120 feet.

Casing perforated
 from 120 to 130 ft.
160' to 190'

Size of perforations
3/16 x 12'



