

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57553  
 Rec. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Madeline O. Palmer Driller J. C. HERRON & SON  
 Address 1022 Silver Lake Drive, Las Vegas, Nev. Address 2600 11th, N. W. Mo. Lic. No. 305  
 Location of well: 1/4 1/4 Sec. 29 T. 22 N/S, R. 41 E, in Clark County

Water will be used for Domestic Total depth of well 126 ft.  
 Size of drilled hole 8 1/2 (100 to 100) Weight of casing per linear foot 250  
 Thickness of casing 1/4" Temp. of water \_\_\_\_\_

Diameter and length of casing 8 1/2 x 126 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 86 ft.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 6/27/35 Date of completion of well 7/12/35

Type of well rig California

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Surface
5	22	17	White clay
22	101	79	Compacted
101	101	0	Clay & gravel
101	118	17	Consistent
118	126	8	Clay & gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 118 to 126 ft.

Other aquifers \_\_\_\_\_

First water at 101 feet.

Casing perforated  
 from 101 to 126 ft.

Size of perforations  
1/4 x 5"

