

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

1

Log No. 57558  
 Rec. No. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Skelton and Vally Rancho Co. Driller S. R. McKinney & Son  
 Address Box 1871, Las Vegas, Nev. Address 1042 S. Main Las Vegas Lic. No. 45  
 Location of well: NE 1/4 NE 1/4 Sec. 29, T. 20 N/S, R. 62 E, in Clark County  
29

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 ft. 8" to 100 Weight of casing per linear foot 22 lb.

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 8" O. D. to 40 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 38 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well April 4, 1953 Date of completion of well April 4, 1953

Type of well rig Bucyrus Erie 24 I Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	4	4	Top soil	
4	25	21	brn sandy clay	
25	51	26	light brn sandy clay	Chief aquifer (water-bearing formation)
51	83	32	white sandy clay, Water at 46	from 94 to 100 ft.
83	94	11	brn sandy clay	Other aquifers 46 to 83
94	100	6	white sandy clay Water	
				First water at <u>46</u> feet.
				Casing perforated from _____ to _____ ft.
				Size of perforations _____



