

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57610
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Walter C. Lowe Driller Patrick H. Thompson

Address 2004 Marlin St. Las Vegas, Nev. Address Las Vegas, Nevada Lic. No. 192

Location of well: 1/4 Sec. 4, T. N/S, R. E, in Clark County
 or E 1/2 NW 1/4 Loxt 4 Sec 31 T 20 SRG62 E

Water will be used for Domestic Total depth of well 100

Size of drilled hole 10" to 50' - 8" from 50-100 Weight of casing per linear foot 19#

Thickness of casing 5/16" - 101 Temp. of water cold

Diameter and length of casing 6" - 101
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 7'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 6, 1956 Date of completion of well February 9, 1956

Type of well rig cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	clay- white
10	35	25	brown clay
35	41	6	gravel
41	55	14	brown clay
55	60	5	sand & gravel
60	73	13	brown clay
73	75	2	sand & gravel
75	100	25	brown sandy & clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 55 to 60 ft.

Other aquifers 73-75

First water at 10 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

3/16 x 12 - 4 rows



