

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57702
 Rec. _____
 Well No. _____
 Permit No. _____
Do not put in

Log of well after deepened

Owner Bert Walsh Driller S. R. McKinney & Son

Address R.R. 1, Paradise Valley, Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2, T. 22N/S, R. 6E, in Clark County

Water will be used for Domestic Total depth of well 225 ft.

Size of drilled hole 12" to 75 ft, 10" to 225 Weight of casing per linear foot 24 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 8" I.D.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 13 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Dec. 15, 1957 Date of completion of well Dec 20, 1957

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
55	78	23	clay
78	83	5	cement gravel
83	95	12	sandy clay water
95	110	15	clay
110	120	10	sandy clay
120	126	6	cement gravel, water
126	150	24	clay
150	185	35	sandy clay
185	205	20	clay
205	210	5	clay and gravel
210	220	10	clay
220	225	5	cement gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 220 to 225 ft.

Other aquifers 83 to 95
205 to 210

First water at 55 feet.

Casing perforated
 from 168 to 225 ft.
113 135

Size of perforations
3/16" X 10"

