

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57125
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner C. L. Dessert Driller Petrick H. Thompson

Address 2301 Santa Paula Drive, Las Vegas, Nevada Address 217 So 26th St. LV. Nev. Lic. No. 192

Location of well: SW 1/4 Sec. 3, T22N/S, R61E, in Clark County

or NE 1/4, NW 1/4, SW 1/4, SE 1/4, of said section

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 12" to 50' - 10" from 50' to 150' Weight of casing per linear foot 10.2

Thickness of casing 10 gauge Temp. of water cool

Diameter and length of casing 8" dia. 151' length
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 24'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well July 29, 1955 Date of completion of well Aug. 2, 1955

Type of well rig Step Soudor

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Caliche
15	20	5	Brown clay
20	24	4	gravel
24	57	33	Brown clay
57	60	3	gravel
60	65	5	Brown clay
65	70	5	gravel
70	90	20	Brown clay
90	95	5	gravel
95	135	40	Brown clay
135	148	13	Gravel
148	150	2	Brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 135 to 148 ft.

Other aquifers 90'--95'

65'--70'

57'--60'

First water at 24 feet.

Casing perforated

from 90 to 150 ft.

Size of perforations

3/16 x 12 -- 4 rows

