

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57738
 Rec. _____
 Well No. _____
 Permit No. _____
 Do not fill in



Owner R. D. Pollock Driller Patrick H. Thompson

Address 1939 Ballard Dr. Las Vegas, Nev. Address 217 So. 26th St. L.V.N. Lic. No. 192

Location of well: SW 1/4 SE 1/4 Sec. 3, T22 N/S, R61 E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" to 100' Weight of casing per linear foot 11#

Thickness of casing 1 1/2 Temp. of water Cool

Diameter and length of casing 8" dia - 192' length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Jan. 27, 1958 Date of completion of well Feb. 1, 1958

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	surface sand & clay
8	15	7	caliche
15	20	5	brown clay
20	23	3	gravel
23	48	25	brown clay
48	50	2	cemented gravel
50	65	15	brown clay
65	70	5	cemented gravel
70	90	20	brown clay
90	95	5	cemented gravel
95	140	45	brown clay
140	150	10	gravel
150	170	20	red sandy clay
170	182	12	sand & gravel
182	200	18	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 170 to 200 ft.

Other aquifers 140 - 150

others cemented off

First water at 23 feet.

Casing perforated

from 110 to 192 ft.

Size of perforations

3/16 x 12 - 3 rows



