

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 57775
 Rec. 7/19 1955
 Well No. _____
 Permit No. _____
 Do not fill in

Owner James C. Snell Driller S.R. McKinney & Son

Address 4747 Conwell, Corina, California Address 1042 South Main, L.V. Lic. No. 45

Location of well: SW 1/4 NE 1/4 Sec. 4, T.22 N/S, R.61 E, in Clark County
 or SE 1/4 of NE 1/4 of SW 1/4 of NE 1/4 of Section 4, Twp. 22, Range 61

Water will be used for Domestic Total depth of well 150

Size of drilled hole 12" to 50', 10" to 150' Weight of casing per linear foot 10 Guage

Thickness of casing 10 Guage Temp. of water _____

Diameter and length of casing 8" I.D. to 150'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well July 11, 1955 Date of completion of well July 13, 1955

Type of well rig 72 Speed Star, Spudder

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0 | 24 | 24 | Gravel |
| 4 | 10 | 6 | Caliche |
| 10 | 21 | 11 | Brown clay |
| 21 | 27 | 6 | Caliche |
| 27 | 51 | 24 | Brown clay |
| 51 | 55 | 4 | Gravel |
| 55 | 66 | 11 | Brown clay |
| 66 | 69 | 3 | Brown sand water |
| 69 | 87 | 18 | Brown clay |
| 87 | 92 | 5 | Gravel water |
| 92 | 107 | 15 | Brown clay |
| 107 | 110 | 3 | Brown sand water |
| 110 | 121 | 11 | Brown clay |
| 121 | 127 | 6 | Gravel water |
| 127 | 131 | 4 | Brown clay |
| 131 | 135 | 4 | Gravel water |
| 135 | 140 | 5 | Brown clay |
| 140 | 144 | 4 | Gravel water |
| 144 | 150 | 6 | Brown clay |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 140 to 144 ft.

Other aquifers 131' to 135'
121' to 127'

107' to 110'

87' to 92'

66' to 69'

First water at 66 feet.

Casing perforated
 from 70 to 150 ft.

Size of perforations
3/16" x 10"

