

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 579411
 Rec.
 Well No.
 Permit No.
Do not fill in



Owner James Larry McKinney Driller S.R. McKinney & Sons, Inc.

Address 1042 South Main Address 1042 South Main Lic. No. 45

Location of well: SE 1/4 NW 1/4 Sec 15, T22 N/S, R61 E, in Clark County
 or.....

Water will be used for Domestic Total depth of well 300 Feet

Size of drilled hole 12" to 5', 10" to 204', Weight of casing per linear foot 10 gauge
8" to 300'

Thickness of casing 10 gauge Temp. of water.....

Diameter and length of casing 8" ID from 0' to 288'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 125'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well 3/28/63 Date of completion of well 4/8/63

Type of well rig Ducyrus Erie 60L

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	soil & clay
2	10	8	gravel & clay
10	15	5	gravel & boulders
15	45	30	cement gravel & boulders
45	53	8	gravelly clay
53	60	7	cement gravel & boulders
60	62	2	clay
62	68	6	cement gravel
68	75	8	gravelly clay
75	79	2	cement gravel
79	98	19	sandy clay
98	101	3	cement gravel
101	108	7	gravelly clay
108	111	3	cement gravel
111	158	47	sandy clay
158	161	3	cement gravel (water)
161	173	12	brown sandy clay
173	177	4	cement gravel
177	178	1	clay
178	190	12	cement gravel
190	194	4	clay
194	206	12	cement gravel
206	208	2	clay
208	300	92	cement gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 208 to 300 ft.

Other aquifers 158 to 161'

First water at 158 feet.

Casing perforated

from 188 to 288 ft.

Size of perforations

3/16" X 10"



