


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5795
 Rec. _____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Thomas C. & Stephanie Smith Driller S. R. McKinney & Son
 Address 267 Basic Rd., Henderson, Nev. Address 1042 S. Main Las Vegas, Nev. No. 42
 Location of well: SE 1/4 SW 1/4 Sec. 5., T22 N/S, R61 E, in Clark County
 or East 1/2 of SW 1/4 of SE 1/4 of SW 1/4 of Section 5, Twp. 22, Range 61 East.
 Water will be used for Domestic Total depth of well 180 ft.
 Size of drilled hole 10" XXH. to 50 ft., 8" to 180 Weight of casing per linear foot 24 lb.
 Thickness of casing 5/16" Temp. of water _____
 Diameter and length of casing 6" I.D. to 180 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 125 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Oct. 13, 1955 Date of completion of well Oct. 18, 1955
 Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	sandy gravel
2	80	78	cement gravel
80	90	10	sandy clay and gravel
90	100	10	XXXX cement gravel
100	109	9	clay and gravel
109	136	27	cement gravel
136	145	9	sandy clay
145	155	10	cement gravel
155	165	10	sandy clay water
165	170	5	sandy clay
170	180	10	sand and gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 170 to 180 ft.

Other aquifers 155 to 165

First water at 155 feet.

Casing perforated from 140 to 180 ft.

Size of perforations 3/16" X 10"



