

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 58027
 Rec. 5/31
 Well No. _____
 Permit No. _____
Do not fill in

C. Well ?

Owner Laurance B. Young Driller Nevada Pump & Supply Co.
Box 5382 Metropolitan Station
 Address Los Angeles, California Address Las Vegas, Nevada Lic. No. 133
 Location of well: SW 1/4 NE 1/4 Sec. 6, T. 22 N/S, R. 6 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 175 feet
 Size of drilled hole 12" Weight of casing per linear foot 12 lbs.
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" x 170'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 140 feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well April 29, 1955 Date of completion of well May 9, 1955
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Sand and Gravel
30	45	15	Caliche
45	155	110	Cemented Gravel
155	160	5	Gravel-Water Bearing
160	168	8	Cemented Gravel
168	172	4	Sand-Gravel-Water Bearing
172	175	3	Cemented Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 168 to 172 ft.

Other aquifers 155-160

First water at 155 feet.

Casing perforated
from 140 to 175 ft.

Size of perforations
1/16" x 6"

