

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 58419  
 Rec. No. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Thomas Curreri Driller Effinger Drilling & Pump Service

Address 243 Madge Lane Address Box 579 City \_\_\_\_\_ Lic. No. 212

Location of well: SW 1/4 SW 1/4 Sec 31, T 20 N/S, R 62 E, in Clark County  
 or 243 Madge Lane

Water will be used for Domestic Total depth of well 120 feet

Size of drilled hole 12 inch Weight of casing per linear foot 12.15

Thickness of casing .134 Temp. of water \_\_\_\_\_

Diameter and length of casing 8" ID 120 feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface \_\_\_\_\_

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well April 2, 1969 Date of completion of well April 4, 1969

Type of well rig "Walker-Neer"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sandy Soil
3	45	42	Brown Clay
45	50	5	Gravel (Water)
50	75	25	Brown Clay
75	120	45	Decomposed Limestone (Water)

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 75 to 120 ft.

Other aquifers 45-50

---

First water at 45 feet.

---

Casing perforated 90 to 115 ft.

---

Size of perforations 1/8" X 12" Torch

RECEIVED

APR 11 1969

DIV. OF WATER RESOURCES  
 BRANCH OFFICE  
 LAS VEGAS, NEVADA

