

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 58430
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Charlie Gartside Driller S. R. McKinney & Son

Address Box 732, Las Vegas, Nevada Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SE 1/4 SW 1/4 Sec 34, T20 N/S, R62 E, in Clark County

or _____

Water will be used for Domestic Total depth of well 105 ft.

Size of drilled hole 10" to 50 ft, 8" to 105 Weight of casing per linear foot 18 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 6" I.D. to 105 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 15 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Feb. 17, 1955 Date of completion of well Feb. 17, 1955

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	27	27	brown clay	
27	29	2	brown sand water	
29	34	5	brown clay	Chief aquifer (water-bearing formation)
34	37	3	brown sand water	from <u>100</u> to <u>102</u> ft.
37	41	4	brown clay	
41	44	3	brown sand water	Other aquifers <u>94 to 96</u>
44	56	12	brown clay	<u>87 to 89, 72 to 75</u>
56	59	3	white sand water	<u>56 to 59,</u>
59	72	13	white clay	
72	75	3	white sand water	
75	87	12	white clay	
87	89	2	brown sand water	
89	94	5	brown clay	
94	96	2	brown sand water	First water at <u>27</u> feet.
96	100	4	white clay	
100	102	2	white sand water	Casing perforated
102	105	3	white clay	from <u>60</u> to <u>105</u> ft.
				Size of perforations
				<u>3/16" X 10"</u>



