

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 58432
 Rec. No. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Betty Gross *New Address 53 Maple Ln.* Driller Effinger Drilling & Pump Service

Address 5900 E. Charleston Address Box 589 Lic. No. 212

Location of well: SW 1/4 SW 1/4 Sec. 34 T. 20 N/S, R. 6E in Clark County

or Beasley Land Lot 7 Blk 2 Tract #1 Greenacres #1 Parcel # 140-34-410-009

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 10 Inch Weight of casing per linear foot 8.64 lbs.

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 6"OD 100 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 29' 5" from top of casing

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 12, 1958 Date of completion of well May 13, 1958

Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	13	13	Yellow Clay
13	15	2	Caliche
15	18	3	Yellow Clay
18	19	1	Caliche
19	23	4	Yellow Clay
23	29	6	Gravel (Water)
29	46	17	Yellow Clay
46	54	8	White Clay
54	55	1	Limestone (Water)
55	69	14	White Clay
69	71	2	Limestone (Water)
71	76	5	White Clay
76	82	6	Limestone (Water)
82	90	8	White Clay
90	97	7	Yellow Clay
97	99	2	Limestone (Water)
99	100	1	White Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 97 to 99 ft.

Other aquifers 76-82

69-71

54-55

First water at 23 feet.

Casing perforated

from 50 to 100 ft.

Size of perforations

1/8" X 15"

