

State

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Test Hole # 4

Log No. 58483  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in

Owner William E. Lightfoot & Fibreboarder S. R. McKinney & Son  
Paper Products Corp.

Address 3669 Mt. Diablo Blvd., Lafayette Address 1042 S. Main Las Vegas Lic. No. 45  
California

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 19, T. 20N/S, R. 14E, in Clark County  
or \_\_\_\_\_

Water will be used for Dry Hole Total depth of well 175 feet.

Size of drilled hole 10" to 175 ft. Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 10" I.D. casing to 99 ft. All Casing removed.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface None

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 10-1-58 Date of completion of well 10-11-58

Type of well rig 72 Speed Star, Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16	16	graveley brown clay
16	18	2	boulders
18	20	2	graveley brown clay
20	90	70	brown clay and gravel
90	102	12	caving gravel
102	110	8	Brown clay and gravel
110	150	40	brown clay
150	175	25	brown sandy clay
			DRY HOLE

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from None to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

---

First water at \_\_\_\_\_ feet.

Casing perforated  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_



