

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 58505
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner A.K. Willis Driller S.R. McKinney & Sons, Inc.

Address 1618 Eastwood Drive, L.V. Address 1042 South Main Lic. No. 45

Location of well: NW 1/4 SW 1/4 Sec 5, T21 N/S, R62 E, in Clark County

Water will be used for Domestic use Total depth of well 120 feet

Size of drilled hole 12" to 50 feet, 10" to 120' Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8 5/8" O.D. from 0 feet to 120 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 21 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 11/4/61 Date of completion of well 11/9/61

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top soil
5	20	15	gravel & clay
20	28	8	clay
28 //	32 //	4 //	sandy clay //
28	32	4	sandy clay
32	50	18	gravel & clay (water)
50	120	70	brown sandy clay with a few gravel streaks (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 50 to 120 ft.

Other aquifers 32 to 50'

First water at 32 feet.

Casing perforated
 from 60 to 120 ft.

Size of perforations
3/16" x 12"

