

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 58523
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Rufus Gray Driller Effinger Bros.
 Address Rt. 1, Box 321, City Address 212 Anderson Lane Lic. No. 105
 Location of well: NE 1/4 NW 1/4 Sec 7, T. 21N/S, R. 62E, in Clark County
 or Four Mile Park

Water will be used for Domestic Total depth of well 101 feet

Size of drilled hole 8 Inch Weight of casing per linear foot 9.4 lbs

Thickness of casing 9 Gauge Temp. of water _____

Diameter and length of casing 6 5/8" OD 70 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 111" from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April 6, 1954 Date of completion of well April 7, 1954

Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Sand
4	14	10	White Clay
14	16	2	Yellow Clay (Water)
16	19	3	Red Sandy Clay (Water)
19	34	15	Yellow Sandy Clay
34	39	5	Red Sandy Clay
39	43	4	Sandstone
43	51	8	Yellow Clay
51	57	6	Lime & Sandstone (Water)
57	67	10	Yellow Sandy Clay
67	83	16	Gravel
83	85	2	Red Clay
85	101	16	Red Clay & Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 101 ft.

Other aquifers 51-57
16-19

First water at 16 feet.

Casing perforated
 from 30 to 70 ft.

Size of perforations
1/8" X 12"

