

ST
X

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 58568
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Arvin E. Fleming Driller S. R. McKinney & Sons, Inc.
 Address Rt. 1, Box 302 C., L.V. Address 1042 South Main Lic. No. 45
 Location of well: SW 1/4 SE 1/4 Sec 8, T21 N/S, R62 E, in Clark County
 or _____
 Water will be used for Domestic Use Total depth of well 100 feet
 Size of drilled hole 12 to 50' 10" to 100 feet Weight of casing per linear foot 10 Gauge
 Thickness of casing 10 Gauge Temp. of water _____
 Diameter and length of casing 3 5/8" O.D. from 0 to 100 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 19 feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 4/29/61 Date of completion of well 5/1/61
 Type of well rig Eucyrus Erie 24 L

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Soil & Sand
5	15	10	gravel
15	17	2	white clay
17	20	3	gravel
20	22	2	white clay
22	38	16	sandy clay
38	55	17	gravely sandy clay (water)
55	65	10	sandy clay
65	100	35	muddy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 38 to 55 ft.

Other aquifers _____

First water at 38 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations
3/16" x 10"

