

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. **58980**  
 Rec. **19**  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner **Albert & Mary D'Angelo** Driller **Effinger Drill & Pump Service**

Address **2265 Lynnwood Street** Address **Box 579** City \_\_\_\_\_ Lic. No. **212**

Location of well: **W 150 ft.** NE  $\frac{1}{4}$  NW  $\frac{1}{4}$  Sec. **12**, T**22** N/S, R**61** E, in **Clerk** County

or **NE Corner Eldorado & Topaz**

Water will be used for **Domestic** Total depth of well **200 feet**

Size of drilled hole **12 inch** Weight of casing per linear foot **12.15**

Thickness of casing **.134** Temp. of water \_\_\_\_\_

Diameter and length of casing **8" ID 200 feet**  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface **18' 7" from top of casing.**

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well **February 26, 1969** Date of completion of well **March 1, 1969**

Type of well rig **"72 Speedstar"**

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Cyp
2	50	48	Brown Clay
50	55	5	Gravel (Water)
55	100	45	Brown Clay
100	105	5	Sand (Water)
105	165	60	Brown Clay
165	200	35	Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from **165** to **200** ft.  
 100-105

Other aquifers **50-55**

---

50  
 First water at \_\_\_\_\_ feet.

---

Casing perforated  
**140** **195**  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

---

Size of perforations  
**1/8" & 12" Torch**

RECEIVED

**MAR 4 1969**  
 DIV. OF WATER RESOURCES  
 BRANCH OFFICE  
 LAS VEGAS, NEVADA

