

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

DEEPSING JOB

Log No.	59076
Rec.	19
Well No.	
Permit No.	

Do not fill in

Owner A.O. Kunkel Driller S.R. McKinney Sons, Inc.

Address 2415 Las Vegas Blvd., North, N.L. Address 1042 South Main Lic. No. 5

Location of well: 1/4 Sec 19, T21 N/S, R62 E, in Clark County

Water will be used for Domestic Use Total depth of well 240'

Size of drilled hole 8" to 240' Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water

Diameter and length of casing 6" ID from 125' to 240'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 15'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 5-1-65 Date of completion of well 5-4-65

Type of well rig Lucyris Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
140	175	35	sandy clay
175	180	5	gravel (water)
180	225	45	sandy clay
225	228	3	gravel (water)
228	240	12	sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 225 to 228 ft.

Other aquifers 175 to 180'

First water at.....feet.

Casing perforated

from 125' to 240 ft.

Size of perforations

3/16" X 10"



