

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59078 x
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Floyd Linn Driller Louis F. Evans
 Address 310 Kinslia Vegas Heights Address 2020 Carroll N. Las Vegas Nev Lic. No. 117
 Location of well: S.W. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 22, T. 21 N/S, R. 62 E, in Clark County
 or _____
 Water will be used for domestic Total depth of well 200 ft.
 Size of drilled hole 57 ft. 10 inch, hole 143 ft. 8 inch Weight of casing per linear foot 11.6 lbs.
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8 inch, o.d. pipe 57 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 5 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well June 5, 1953 Date of completion of well June 8, 1953
 Type of well rig Armstrong

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	blow sand
1	18	17	brown clay & gravel
18	27	9	red clay & gravel
27	45	18	gray clay
45	53	8	red sandy clay (water)
53	79	26	red clay
79	86	7	" sandy clay & gravel (water)
86	185	99	red clay
185	194	9	red sandy clay & gravel (water)
194	200	6	red clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 185 to 194 ft.

Other aquifers 45 to 53

79 to 86

First water at 45 feet.

Casing perforated
 from _____ to _____ ft.

Size of perforations

