

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59083

Rec. 19

Well No. _____

Permit No. _____

Do not fill in

Owner: Leo Morris Driller: J.R. McKinney & Sons, Inc.

Address: 3491 Harmon St. Address: 1044 South Main Lic. No. 45

Location of well: Sec 19, T21 N/S, R62 E, in Clark County

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 12" to 50', 10" to 150' Weight of casing per linear foot 10 Gauge

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 5-1/2" from 0' to 150'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6-1-63 Date of completion of well 6-6-63

Type of well rig Lucyvas Erie 223

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sand & clay
3	9	6	clay
9	20	11	caliche
20	50	30	white clay
50	65	15	brown sandy clay
65	95	30	gravely clay(water)
95	100	5	cement gravel & clay
100	140	40	gravely clay(water)
140	150	10	cement gravel & sand(water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 110 to 150 ft.

Other aquifers 100 to 140'

65 to 95'

First water at 65 feet.

Casing perforated

from 110 to 150 ft.
20' staggered

Size of perforations

3/16" x 10"

