

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59091
 Rec. 19
 Well No. _____
 Permit No. _____



Owner Donald E. Spaulding Driller Patrick H. Thompson
 Address 1302 Marlin, Las Vegas, Nev. Address 217 So. 26th St L.V.N. Lic. No. 192
 Location of well: NW 1/4 NE 1/4 Sec. 14., T22 N/S, R. 61E, in Clark County
 or W 1/2 NE 1/4, NW 1/4, NE 1/4, of said section
 Water will be used for Domestic Total depth of well 160'
 Size of drilled hole 12" to 50' - 10" from 50 to 160' Weight of casing per linear foot 12.2
 Thickness of casing 10 guage Temp. of water cool
 Diameter and length of casing 8" dia. - 161' length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 50'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Mar. 5, 1957 Date of completion of well Mar. 8, 1957
 Type of well rig cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	gravel
3	50	47	clay -- white
50	80	30	brown clay
80	90	10	caliche -- water
90	145	55	sandy brown clay
145	155	10	gravel
155	160	5	sandy brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 145 to 155 ft.

Other aquifers 80 - 90

First water at 80 feet.

Casing perforated

from 110 to 160 ft.

Size of perforations

3/16 x 12 -- 4 rows



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8" 8"	41	160	161	Grouted to 80'

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

bailed 20 G.P.M. from 80'

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Patrick H. Thompson
Well Driller

By.....

License No. 192

Dated April 30, 1957

(Not to be filled in by Driller)

