

NO CARD

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59401  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in

Owner CHRISTIESON - G. W. McKinney Driller G. R. McKinney  
 Address 3507 Charleston Address 1042 So. Main Lic. No. 45  
 Location of well: 1/4 - 1/4 Sec. 30, T. 21 N/S, R. 50 E, in Clark County  
 or \_\_\_\_\_  
 Water will be used for Domestic use Total depth of well 230  
 Size of drilled hole 12" to 50" to 8" to 230 Weight of casing per linear foot 10 gauge  
 Thickness of casing 10 gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 8" ID to 230  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 90 ft.  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 5/2/63 Date of completion of well 5/2/63  
 Type of well rig Sauger Trip 221

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	sandy clay
4	40	36	caliche
40	50	10	brown clay
50	80	30	brown clay
80	165	85	brown clay & gravel streaks
165	194	29	gravel & clay streaks
194	196	2	gravel
196	230	34	clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 196 to 230 ft.

Other aquifers 115 to 165 ft.

---

First water at 165 feet.

Casing perforated  
 from 90 to 230 ft.

Size of perforations  
3/16" x 10"

