

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **59435**  
 Rec. **04/08** 19**55**  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner T. L. Roberts Driller McGarvie Plumbing & Welding  
 Address 1414 Hinson, Las Vegas, Nevada Address B.O. Box 681, Las Vegas Lic. No. 132  
 Location of well: SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  Sec. 16, T22' N/S, R61' E, in Clark County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 175'  
 Size of drilled hole 8" Weight of casing per linear foot 10 guage  
 Thickness of casing 10 guage Temp. of water \_\_\_\_\_  
 Diameter and length of casing 8" x 175'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 85'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 3/15/55 Date of completion of well 3/23/55  
 Type of well rig cable

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Surface gravel & calichi
20	35	15	Red sticky clay
35	85	50	Brown & red clay very sticky
85	145	60	Sticky red and brown clay
145	160	15	Sticky red and brown clay
160	175	15	Gray sandy shale

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 110 to 175 ft.

Other aquifers \_\_\_\_\_

---

First water at 110' feet.

Casing perforated

from 100 to 175 ft.

Size of perforations

6 x 1/8 x 2 1/2" centers  
5 rows

