

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59499

Rec. _____ 19__

Well No. _____

Permit No. _____

Do not fill in

Owner Keith Norton Driller S.R. McKinney & Son

Address Sand Hill Road, Paradise Valley Address 1042 South Main, L.F. Lic. No. 45

Las Vegas, Nevada

Location of well: SE 1/4 SE 1/4 Sec 30, T.21 N/S, R.62 E, in Clark County

or PARCE # APN 161-30-803-006

Water will be used for Domestic Total depth of well 110'

Size of drilled hole 12" to 50', 10" to 110 Weight of casing per linear foot 10 Guage

Thickness of casing 10 Guage Temp. of water _____

Diameter and length of casing 8" I.D. to 110'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 15 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well May 11, 1955 Date of completion of well May 12, 1955

Type of well rig Bucyruc Erie 24-L, Spudder

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	30	30	Clay & Sandy Cavey Water	
30	55	25	Clay Sandy	Chief aquifer (water-bearing formation)
55	60	5	Sand & Gravel water	from <u>100</u> to <u>110</u> ft.
60	80	20	Clay	Other aquifers <u>55' to 60'</u>
80	85	5	Gravel	
85	100	15	Clay	First water at <u>15</u> feet.
100	110	10	Gravel water	Casing perforated from <u>70</u> to <u>110</u> ft.
				Size of perforations <u>3/16" x 10"</u>

