

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59502

Rec. _____ 19__

Well No. _____

Permit No. _____

Do not fill in.

Owner Robert Perry Driller Patrick H. Thompson

Address Las Vegas, Nevada Address Las Vegas, Nevada Lic. No. 192

Location of well SW 1/4 SE 1/4 Sec. 30, T.21N/S, R.62 E, in Clark County

Water will be used for Domestic Total depth of well 120'

Size of drilled hole 12" 0-50', 10" 50-120 Weight of casing per linear foot 13#

Thickness of casing 10 gauge Temp. of water Cool

Diameter and length of casing Diameter - 8 5/8 Length - 120'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well June 29, 1964 Date of completion of well July 1, 1964

Type of well rig Cable tool

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, etc.
From feet	To feet	Thickness feet	Type of material	
0	15	15	Gray Sand	
15	71	56	Red Sandy Clay	Chief aquifer (water-bearing formation)
71	76	5	Cemented Gravel	from <u>110</u> to <u>115</u> ft.
76	95	19	Red Clay and Gravel	Other aquifers <u>71-76</u>
95	110	15	Red Clay	
110	115	5	Gravel (water)	
115	120	5	Red Clay	First water at <u>18</u> feet.
				Casing perforated
				from <u>60</u> to <u>120</u> ft.
				Size of perforations
				<u>3/16 x 12</u> <u>4</u> rows

Las Vegas Valley Groundwater Management Program

May 8, 2002

Turner Family Trust
c/o Linda Miller
1046 W. 21st Street
Merced, CA 95340

21-62-30

Dear Ms. Miller:

SUBJECT: LVV GMP DOMESTIC WELL CONVERSION – 4049 RAWHIDE ST., LV – LVVWD
PROJECT # 26282, GMP # 15618, WELL LOG # 59503 161-30-802-002

The Las Vegas Valley Water District (LVVWD) has informed me that your well conversion off-site and on-site construction is now complete and your property is capable of receiving municipal water service. Under the Las Vegas Valley Groundwater Management Program's Well Conversion component, a condition of approval of grant funding includes disabling of your well upon initiation of municipal service, prior to plugging and abandonment of your well.

Given that your property can now be served with municipal water service, your well must be disabled. Disabling of your well must be coordinated and verified with Mr. Jan Silverstein of the LVVWD Inspection Division within 14 days of the date of this letter. You can reach Mr. Silverstein at 258.3825.

If you choose to keep your well operational and your municipal service uninterrupted, you must forward a check within 14 days payable to SNWA - GMP in the amount of \$7,181.00 which reflects the grant amount awarded to you for both off-site and on-site construction. If repayment does not occur, a lien will be placed on the property. Please contact the LVVWD and the Nevada State Engineer's Office for additional requirements.

If you have any questions, please feel free to telephone me at 822.8507

Sincerely,

Judy Laws

Judy Laws
GMP Grant Administrator

JL:db

c: Robert Baggs, LVVWD Development Services
Jan Silverstein, LVVWD Inspection
Robert Coache, Nevada Division of Water Resources



**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59503
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in.

Owner ROBERT PERRY Driller PATRICK H. THOMPSON

Address 5548 So. Annie Oakley Dr. Address Las Vegas, Nevada Lic. No. _____

Location of well SE 1/4 Sec. 20, T. 21 N/S, R. 22 E, in Clark County
 or 4099 E. Rawhide

Water will be used for Domestic Total depth of well 120 ft

Size of drilled hole 0 - 50' 12" 50' - 120' 10" Weight of casing per linear foot # 12

Thickness of casing 10 guage Temp. of water Cool

Diameter and length of casing Diameter - 8-5/8" Length - 121'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 10 ft

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 11, 1964 Date of completion of well March 13, 1964

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	20	17	Sand
20	65	45	Clay & Gravel
65	85	20	Cemented Gravel
85	95	10	Gravel
95	105	10	Clay Sandy with streaks
105	120	15	Clay Sandy with streaks of gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 65 to 95 ft.

Other aquifers 105 - 120

First water at 20 feet.

Casing perforated
 from 80 to 120 ft.

Size of perforations
3/16 x 12" 4 rows

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
8-5/8	plus 1	120	121	Cemented to 50 ft.

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No. 192

Dated March 17, 1964

(Not to be filled in by Driller)
