

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 59547  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in

Owner Mr D Beckwith Driller Om Yullard  
 Address Russell Rd - Paradise Valley Address Rt # 1 - Box 92 Lic. No. 115  
 Location of well: NE 1/4 NE 1/4 Sec. 31, T21N/S, R62E, in Las Vegas - Clark County  
 or MDB-M  
 Water will be used for Domestic Total depth of well 203 ft  
 Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 10 gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 102'-8" - 109'-6"  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 6 ft  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 11-16-55 Date of completion of well 11-29-55  
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	soft Black Clay & Water
25	80	55	Brown Clay
80	81	1	Limestone - 2 <sup>nd</sup> W.
81	165	84	Red Brown Clay
165	183	18	Sandstone
183	185	2	Sand & 3 <sup>rd</sup> Water
185	192	7	White Clay
192	203	11	Red Gum Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 183 to 185 ft.

Other aquifers \_\_\_\_\_

80-81

0-25

First water at 25 feet.

Casing perforated

from 110 to 190 ft.

Size of perforations

1/8 x 109/12

