

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59648
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. Dudley Driller S. R. McKinney & Son

Address R.R. 1, Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SE 1/4 NE 1/4 Sec. 31, T. 21N/S, R. 61E, in Clark County _____

or _____

Water will be used for Domestic Total depth of well 150 ft.

Size of drilled hole 12" to 55 ft. 8" to 150 Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" I.D. to 60 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 50 to 60 G.P.M.

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works 8" capped with 3" outlet on side and 2" on top
(Type and size of valve, etc.)

Date of commencement of well Dec 2, 1953 Date of completion of well Dec 4, 1953

Type of well rig Bucyrus Erie 24 L, Snudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	blow sand
2	20	18	graveley clay
20	25	5	gravel water
25 43	43	18	red clay
43	45	2	gravel water
45	60	15	blown clay
60	133	73	red clay with streaks of gy
133	145	12	gravel water
145	150	5	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 133 to 145 ft.

Other aquifers _____
 rock _____

First water at 20 feet.

Casing perforated
 from _____ to _____ ft.

Size of perforations _____

