

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59845

Rec. No. 19

Well No. _____

Permit No. _____

Do not fill in

Owner Laurence & Yvonne Barringer ^{BEHRINGER} Driller Effinger Drilling & Pump Service

Address Tonopah Hwy Address Box 579 Lic. No. 212

Location of well: SE 1/4 SE 1/4 Sec. 20, T. 19N/S, R. 60E, in Clark County

Water will be used for Domestic Total depth of well 255 feet

Size of drilled hole 12 inch Weight of casing per linear foot _____

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" ID 255 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 88 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well September 27, 1961 Date of completion of well October 3, 1961

Type of well rig "72 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	75	75	Gravel
75	95	20	Clay & Gravel
95	100	5	Cemented Gravel
100	103	3	Yellow Clay (Water)
103	105	2	Cemented Gravel
105	108	3	Yellow Clay
108	110	2	Cemented Gravel
110	114	4	Yellow Clay
114	117	3	Cemented Gravel
117	119	2	Yellow Clay
119	122	3	Cemented Gravel
122	126	4	Yellow Clay
126	128	2	Cemented Gravel
128	131	3	Yellow Clay
131	133	2	Gravel
133	136	3	Clay
136	138	2	Gravel
138	235	97	Red Clay
235	240	5	Clay & Gravel
240	242	2	Cemented Gravel
242	243	1	Clay
243	245	2	Gravel
245	246	1	Clay
246	247	1	Gravel
247	255	8	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 235 to 247 ft.

Other aquifers 103-138

First water at 102 feet.

Casing perforated from 155 to 255 ft.

Size of perforations

Torch



