

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. **60058**
 Rec. 19
 Well No.
 Permit No.
Do not fill in

Owner **Stanley W. & Retha M. Ward** Driller **Effinger Drill & Pump Serv**
 Address **2476 Sandy Lane** Address **Box 579** City Lic. No. **212**
 Location of well: **SW 1/4 SE 1/4 SW 1/4** Sec. **26**, T. **19**N/S, R. **60**E, in **Clark** County
 or **Ann Road**

Water will be used for **Domestic** Total depth of well **200 feet**
 Size of drilled hole **12 inch** Weight of casing per linear foot **12.15**
 Thickness of casing **0.134** Temp. of water
 Diameter and length of casing **8 5/8"OD 200 feet**
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface **65'**
 If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well **April 25, 1969** Date of completion of well **April 27, 1969**
 Type of well rig **"Walker-Neer 31"**

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Sandy Soil
4	20	16	Limestone
20	25	5	Caliche
25	70	45	Brown Clay, Lime Layers
70	75	5	Gravel (Water)
75	90	15	Brown Clay
90	95	5	Gravel (Water)
95	130	35	Brown Clay
130	132	2	Gravel (Water)
132	180	48	Brown Clay
180	186	6	Gravel (Water)
186	200	14	Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from **180** to **186** ft.
 Other aquifers **130-132**
90-95
70-75
 First water at **70** feet.

Casing perforated
 from **140** to **195** ft.

Size of perforations
1/8" X 12" Torch

RECEIVED

MAY 2 1969
 DIV. OF WATER RESOURCES
 BRANCH OFFICE
 LAS VEGAS, NEVADA

