

Need
OPY

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 61476
 Rec. Oct. 29 1962
 Well No. 25495
 Permit No. 2075
 Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

LAWRENCE W. PERKINS

Owner ~~Lawrence W. Perkins~~ Driller Patrick H. Thompson
 Address Overton, Nevada Address Las Vegas, Nevada Lic. No. 192
 Location of well 1/4 NW 1/4 Sec 23, T. 12N, R. 10E in Clark County
 or Overton, Nevada

Water will be used for Commercial (Bait farm) Total depth of well 120'
 Size of drilled hole 12" to 120' Weight of casing per linear foot 17#
 Thickness of casing 3/16 Temp. of water cool
 Diameter and length of casing 5/8" dia -- 121' length
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 17'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well Oct. 24, 1962 Date of completion of well Oct. 28, 1962
 Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	brown clay
10	25	15	brown sandy clay
25	28	3	brown sand
28	53	25	brown sandy clay
53	65	12	brown sand
65	90	25	brown sandy clay
90	100	10	gravel
100	120	20	brown sandy clay

Water bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 90 to 100 ft.
 Other aquifers 53 - 65
25 - 28

First water at 25 feet.

Casing perforated
 from 25 to 120 ft.

Size of perforations
3/16 x 12 - 4 rows

