

WELL SUMMARY				USCS	Profile
Depth in Feet	Sample Type & Number	Recovery/Drive (inches)	Blows per Foot		
<p>Driller: Gordon A. Jensen Total Depth: 22' Ground Surface El: Date Began: 3/14/96 Top of Casing El: 3922.88 Date Finished: 3/14/96</p>					
0					Trash piles, pallets, fill area, low lying
1	SP/01	18/18	12		Sandy loam, dark brown Light brown to tan silty sand, organics present
2			42		
3					Water at 5.2' bs Interbedded with silts and sands, mottled in appearance, Moist
4					
5	SP/02	18/18	15		
6			20		Sandy silt and silty, fine in grain size, brown in color Moist Sandy silt, mottled in color, Brown to grey Fine grained - Saturated
7					
8					
9	SP/03	18/18	17		
10			59		Clayey silt, yellow to orange in color, trace of fine grained sand
11					
12					
13					Sump 20-22'
14					
15	SP/04	18/18	12		Cap Bottom of hole at 22' bs Well set at 22' bs
16			58		
17					Readings taken after Well Devolpement pH: 6.48 Temperature: 62.3 Conductivity: Conductivity is higher than range on meter
18					
19					
20	SP/05	18/18	14		
21			51		
22					
23					
24					
25					

Drill Method: Hollow Stem Auger, 8.25" O.D. X 4.25" I.D.
 Sampling Method: California Modified Sampler/Grab
 Project No: N62474-95-D-3457
 Client: Engineering field Activity, West
 Location: Naval Air Station Fallon, Nevada

bs - Below Ground Surface
 Denotes Water Table

All samples are grabs