


WELL SUMMARY				USCS Profile	
Depth in Feet	Sample Type & Number	Recovery/Drive (Inches)	Blows per Foot		
				Driller: Gordon A. Jensen	
				Total Depth: 22' Ground Surface El:	
				Date Began: 3/19/96 Top of Casing El: 3922.48	
				Date Finished: 3/19/96	
0					Trash, soil with high alkaline content Drums on north and west side
1	SP/01	18/18	38 30		
2				CL	Dark brown silty sand to tan in color with silt stone fragment - Moist
3					
4					Water at 4.0' bs - Clean
5	SP/02	18/18	10 12	ML	
6					Clean fine graded sand grey to brown in color Saturated
7					
8					
9					
10	SP/03	18/18	11 23	SM	Silty fine brown sand
11					
12					
13					
14					
15	SP/04	18/18	9 25	SM	Yellow to grey silty sand 50%/50%
16					
17					
18					
19					
20	SP/05	18/18	9 41	OL	Yellow to grey clayey silt with some sand
21					
22					
23					
24					
25					
All samples are grabs				<u>Readings taken after Well Development</u> pH: <u>6.66</u> Temperature: <u>54.0</u> Conductivity: <u>Conductivity is higher than range on meter</u>	



Drill Method: Hollow Stem Auger, 8.25" O.D. X 4.25" I.D.
 Sampling Method: California Modified Sampler/Grab

Project No: N62474-95-D-3457
 Client: Engineering Field Activity, West
 Location: Naval Air Station Fallon, Nevada

bs - Below Grade Surface
 Denotes Water Table