


WELL SUMMARY				USCS Profile	
Depth feet	Sample Type & Number	Recovery/dive (inches)	Blows per Foot		
				Driller: Gordon A. Jensen	
				Total Depth: 22' Ground Surface El:	
				Date Began: 3/19/96 Top of Casing El: 3927.63	
				Date Finished: 3/19/96	
0					Surface A.C. 6" road base then native compact materials
1	SP/01	18/18	6 24		Brown fine grain silty sand with some organics Moist
2					
3					
4					
5	SP/02	18/12	5 14		Light brown silty sand mottled with orange to dark brown color - Moist
6					
7					
8					
9					
10	SP/03	18/18	5 21		Silty sand, brown in color
11					
12					
13	SP/04	18/18	5 32		Sand, clean, coarse to medium granitic in appearance Saturated
14					
15					
16					
17					
18					
19					
20	SP/05				Clear sand, heaving, coarse to medium grain Saturated
21					
22					
23					
24					
25					

MW-71



All samples are grabs

Readings taken after Well Development
 pH: 6.62
 Temperature: 73.1
 Conductivity: Conductivity is higher than range on meter

Drill Method: Hollow Stem Auger, 8.25" O.D. X 4.25" I.D.
 Sampling Method: California Modified Sampler/Grab
 Project No: N62474-95-D-3457
 Location: Engineering Field Activity, West Naval Air Station Fallon, Nevada

bs - Below Grade Surface
 Denotes Water Table