




WELL SUMMARY

Driller: Gordon A. Jensen  
 Total Depth: 22' Ground Surface El:  
 Date Began: 3/15/96 Top of Casing El: 3927.30  
 Date Finished: 3/15/96

Depth in Feet	Sample Type & Number	Recovery/Drive (Inches)	Blows per Foot	USCS	Profile
0					6" section of road base, no vegetation
0-1	SP/01	18/18	12	CL	Dark brown sand to 1' then clayey silt with some well graded sand, layers of organics with some staining
1-2			36		
2-3					Well graded sand layers, organics with some staining
3-4				SW	
4-5	SP/02	18/18	11	SW	Well graded sand with light gravelly content Damp Water at 7.3' bs
5-10			28	SW	
10-15	SP/03	18/18	14	SM	Dark brown silty sand-sandy silt Medium grained sands Saturated
15-18	SP/04	18/18	14	ML	
18-20				SW	Coarse to medium grained clean sand Saturated
20-22	SP/05	18/18	10	CL	
22					Clayey silt, yellow brown to grey color

MW-69



Readings taken after Well Development  
 pH: 6.38  
 Temperature: 65.5  
 Conductivity: Conductivity is higher than range on meter

Drill Method: Hollow Stem Auger, 8.25" O.D. X 4.25" I.D.  
 Sampling Method: California Modified Sampler/Grab  
 Project No: N62474-95-D-3457  
 Client: Engineering Field Activity, West  
 Location: Naval Air Station Fallon, Nevada

bs - Below Grade Surface  
 Denotes Water Table

All samples are grabs