


WELL SUMMARY				USCS Profile	
Depth in Feet	Sample Type & Number	Recovery/drive (Inches)	Blows per Foot		
				Driller: Gordon A. Jensen	
				Total Depth: 22' Ground Surface El:	
				Date Began: 3/14/96 Top of Casing El: 3927.46	
				Date Finished: 3/14/96	
0					On levee, side of road, some vegetation
0-1	SP/01	18/18	4		Brown finely graded sand with some organics Moist
1-2			11		
2-3				SM	Some silt, appears to be fill material
3-4					
4-5				SM	Brown sandy silt, minor clay content, interbedded with fine sands, brown in color, "Fill ?"
5-6	SP/02	18/18	7	SC	
6-7			21		
7-10					Water at 9.5' bs
10-11	SP/03	18/6	5	SM	Still in fill material, sandy loam mixed with clayey silt, dark brown in color Recovered 1 sample and sent in for analysis
11-14			14	ML	
14-15				SM	Mottled silty sand, very fine grained, some stationary organics Moist
15-18	SP/04	24/24	8	ML	
18-20			28		
20-22	SP/05	18/18	9	CL	Yellow to grey clayey silt Moist
22-26			26		



All samples are grabs

Readings taken after Well Development
 pH: 6.94
 Temperature: 67.2
 Conductivity: Conductivity is higher than range on meter

Drill Method: Hollow Stem Auger, 8.25" O.D. X 4.25" I.D.
 Sampling Method: California Modified Sampler/Grab
 Project No: N62474-95-D-3457
 Client: Engineering field Activity, West
 Location: Naval Air Station Fallon, Nevada

bs - Below Ground Surface
 Denotes Water Table