


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **64299**
 Rec.
 Well No.
 Permit No.



Owner Clifford A. Wharton Driller Clifford Wharton

Address P.O. Box 79 Jean Nev. Address Lic. No.

Location of well: $\frac{1}{4}$ Sec. $\frac{1}{4}$ Sec. T. N/S, R. E, in County
 or E. $\frac{1}{2}$ SW. $\frac{1}{4}$ SW. $\frac{1}{4}$ SW. $\frac{1}{4}$
Sec. 16, T. 26S., R. 59E.

Water will be used for Total depth of well 140'

Size of drilled hole ~~12"~~ 12" Weight of casing per linear foot 16

Thickness of casing 3/16" Temp. of water

Diameter and length of casing 10.3/4 105'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 116ft.

If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well July 1, 1955 Date of completion of well July 18, 1955

Type of well rig Bucyrus L 24

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	124	124	clay & Gravel
124	124 $\frac{1}{2}$	$\frac{1}{2}$	Cap Rock
124 $\frac{1}{2}$	140	15 $\frac{1}{2}$	clay & gravel Water Bearing

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 124 $\frac{1}{2}$ to 140 ft.

Other aquifers none

First water at 124 $\frac{1}{2}$ feet.

Casing perforated
 from to ft.

Size of perforations

