


**L LOG AND REPORT TO THE STATE ENGINEER  
OF NEVADA**

Log No. 65676  
 Rec. No. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_



PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Hayes Ranch Driller Donell Fine  
 Address Esby, Nevada Address Paraca, Nevada Lic. No. 30  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 29, T. 9 N. 0, R. 66 E, in Linn County  
 Permit No. unassigned gravel  
 Water will be used for Stock Total depth of well 297'  
 Size of drilled hole 10" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 1/4 Temp. of water \_\_\_\_\_  
 Diameter and length of casing 10" 298'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 185'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well June 22, 1967 Date of completion of well July 21, 1967  
 Type of well rig Cable Tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	202	202	cemented gravel with boulders
202	206	4	gravel - loose
206	214	8	cemented gravel
214	228	14	gravel
228	245	17	cemented gravel
245	297	52	gravel

**Water-bearing Formation, Casing Perforations, etc.**

Chief aquifer (water-bearing formation)  
 from 245 to 297 ft.  
 Other aquifers 214 to 228 ft  
202 to 206'  
 First water at 202 feet.  
 Casing perforated  
 from 197 to 297 ft.  
 Size of perforations  
1/8 x 10"

