

WHITE-DIVISION OF WATER RESOURCES
CANARY-CLIENT'S COPY
PINK-WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

Log No. 69311
Permit No. _____
Basin. 85

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 35385

1. OWNER Ed Davis ADDRESS AT WELL LOCATION _____
MAILING ADDRESS P.O. Box 2163 Merrilee Ln. Sparks, NV
Reno, NV 89432
2. LOCATION NE 1/4 NE 1/4 Sec 21 T 21 S R 21 East Washoe County
PERMIT NO. 076-690-62 Issued by Water Resources Parcel No. _____ Subdivision Name _____

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Dark red volc. rock		0	30	30
Red w/white volc rock medium hard		30	35	5
Dark red volc. rock		35	75	40
Green, brown volc rock		75	95	20
Brown volc. rock fract		95	105	10
Red, brown volc. rock		105	125	20
Brown, red vol rock hard		125	135	10
Multi color vol rock		135	140	5
Brown, red vol rock medium hard		140	150	10
Multi color gravel		150	170	20
Brown clay		170	193	23
Black volc. rock		193	205	12
Black w/red gravel		205	215	10

8. WELL CONSTRUCTION
Depth Drilled 1195 Feet Depth Cased 0 Feet
HOLE DIAMETER (BIT SIZE)
From To
10 5/8 Inches 0 Feet 50 Feet
8 1/2 Inches 50 Feet 1195 Feet
Inches Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:
Type perforation _____
Size perforation _____
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
Depth of Seal _____ Neat Cement
Placement Method: Pumped Cement Grout
 Poured Concrete Grout
Gravel Packed: Yes No
From _____ feet to _____ feet

9. WATER LEVEL
Static water level _____ feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name A.S.A.P. Pump & Well Service, Inc. Contractor
Address P.O. Box 60130 Contractor
Reno, NV 89506
Nevada contractor's license number 35387-A
issued by the State Contractor's Board.
Nevada driller's license number issued by the 2066
Division of Water Resources, the on-site driller
Signed Larry Welch
By driller performing actual drilling on site or contractor
Date 10-13-97

Date started August 12 1997
Date completed September 15 1997

7. WELL TEST DATA

TEST METHOD:	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift		
G.P.M.		

Log No. 69311
 Permit No. _____
 Basin. 85

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 35385

1. OWNER Ed Davis ADDRESS AT WELL LOCATION _____
 MAILING ADDRESS P.O. Box 2163 Merrilee Ln. Sparks, Nv
Sparks, NV 89432
 2. LOCATION NE 1/4 NE 1/4 Sec. 21 T. 21 N/S R. 21 East Washoe County
 PERMIT NO. 076-690-62 Parcel No. _____ Subdivision Name _____
 Issued by Water Resources _____

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Black w/brown vol rock		215	222	7
Black vol rock fractu		222	226	4
Black w/oran vol rock hard		226	231	5
black w/oran vol rock frac		231	243	12
Black vol rock fractu		243	245	2
Black w/red vol rock fract		245	290	45
Multi color vol rock soft		290	300	10
Black red vol rock fract		300	350	50
Multi color gravel		350	355	5
Multi color vol rock soft		355	375	20
Black red vol rock soft		375	395	20
Multi color vol rock		395	520	125
Black, red vol rock		520	565	45
Multi color gravel		565	572	7
Multi color vol rock fract		572	595	23
Multi color gravel		595	625	30
Multi color vol rock		625	645	20
Black vol rock fractu		645	690	45
Red & black gravel		690	715	25
Multi color vol rock		715	720	5
Brown black vol rock clay		720	725	5
Multi color vol rock fract		725	760	35
Black vol rock fract		760	820	60
Black red vol rock		820	875	55
Red black Vol rock fract		875	895	20
Black vol rock red clay sto		895	960	65
Multi color vol rock w				
brown clay		960	985	25

8. WELL CONSTRUCTION
 Depth Drilled 1195 Feet Depth Cased 0 Feet
 HOLE DIAMETER (BIT SIZE)
 From To
10 5/8 Inches 0 Feet 50 Feet
8 1/2 Inches 50 Feet 1195 Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:
 Type perforation _____
 Size perforation _____
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout
 Depth of Seal _____
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From _____ feet to _____ feet

9. WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name A.S.A.P. Pump & Well Service, Inc
 Contractor

Address P.O. Box 60130
 Contractor
Reno, NV 89506

Nevada contractor's license number 35387-A
 issued by the State Contractor's Board.
 Nevada driller's license number issued by the 2066
 Division of Water Resources, the on-site driller.

Signed James Welch
 By driller performing actual drilling on site or contractor
 Date 10-13-97

Continue on next page 8/12 19 97
 Date started _____
 Date completed September 15 19 97

7. WELL TEST DATA

TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

WHITE-DIVISION OF WATER RESOURCES
CANARY-CLIENT'S COPY
PINK-WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

OFFICE USE ONLY
Log No. 109311
Permit No.
Basin 85

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 35385

1. OWNER Ed Davis ADDRESS AT WELL LOCATION Merrilee Ln. Sparks, NV
MAILING ADDRESS P.O. Box 2163 Sparks, NV 89432
2. LOCATION NE 1/4 NE 1/4 Sec 21 T. 21 Q/S R 21 East Washoe County
PERMIT NO. 076-690-62 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED: New Well, Replace, Recondition, Deepen, Abandon, Other
4. PROPOSED USE: Domestic, Municipal/Industrial, Irrigation, Monitor, Test, Stock
5. WELL TYPE: Cable, Rotary, RVC, Air, Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Black green vol rock		985	1010	25
Multi color vol rock	soft	1010	1025	15
Red black vol rock		1025	1030	5
Red volc. rock		1030	1042	12
Red black volc. rock		1042	1060	18
Multi color vol rock fractured		1060	1095	35
Black vol rock and red clay stone		1095	1138	43
Gray granite hard		1038	1145	7
Black vol rock and red clay stone		1145	1195	50
T.D. 1195'				
Dry hole Abandon				

8. WELL CONSTRUCTION
Depth Drilled 1195 Feet Depth Cased 0 Feet
HOLE DIAMETER (BIT SIZE)
From 10 5/8 Inches To 50 Feet
8 1/2 Inches 50 Feet 1195 Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:
Type perforation
Size perforation
From... feet to... feet
Surface Seal: Yes No Seal Type: Neat Cement, Cement Grout, Concrete Grout
Depth of Seal
Placement Method: Pumped, Poured
Gravel Packed: Yes No
From... feet to... feet

9. WATER LEVEL
Static water level... feet below land surface
Artesian flow... G.P.M. ... P.S.I.
Water temperature... °F Quality...

Date started August 12 19 97
Date completed September 15 19 97

7. WELL TEST DATA

TEST METHOD:	Bailer	Pump	Air Lift
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name A.S.A.P. Pump & well Service, Inc. Contractor
Address P.O. Box 60130 Contractor Reno, NV 89506
Nevada contractor's license number issued by the State Contractor's Board 35387-A
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2066
Signed Larry Welch By driller performing actual drilling on site or contractor
Date 10-8-97