

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **70352**  
 Rec. \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner J. & M. Refrigeration (Kelch) Driller Effinger Bros.  
 Address Rancho Circle Address 212 Anderson Lane Lic. No. 212  
 Location of well:  $\frac{1}{4}$  Sec. 32, T. 20 N. S. R. 61 E. in Clark County  
 or \_\_\_\_\_  
 Water will be used for Refrigeration (Domestic) Total depth of well 50 feet  
 Size of drilled hole 12 Inch Weight of casing per linear foot 6.9 lbs.  
 Thickness of casing 10 Guage Temp. of water \_\_\_\_\_  
 Diameter and length of casing 6"OD 50 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 9.6 feet from top of casing.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well February 3, 1956 Date of completion of well February 9, 1956  
 Type of well rig "71 Speed Star"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
<b><u>PUMP WELL</u></b>			
0	3	3	Sandy Soil
3	17	14	White Clay
17	24	7	Limestone (Water)
24	29	5	White Clay
29	33	4	Red Clay
33	35	2	Limestone (Water)
35	39	4	White Clay
39	43	4	Limestone (Water)
43	50	7	White Clay
<b><u>DISCHARGE WELL</u></b>			
Same as above well.			

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 39 to 43 ft.

Other aquifers 33-35  
17-24

---

First water at 17 feet.

Casing perforated  
 from 20 to 50 ft.

Size of perforations  
1/8" X 12"



