


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

(Statutes 1939, chapter 178, section 7. See page 2 of this form)

FILED
SEPT. 16, 1943
State Eng'g. Office

PERMIT TO APPROPRIATE WATER, SERIAL NUMBER 10782

Permittee Roy Cram Driller Evans
Address Las Vegas, Nevada Address Las Vegas, Nevada
Location of well SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 9, T. 22 S., R. 62 E., M.D.B. & M.
(Describe in legal subdivisions.)



Water will be used for Mining, Milling and Domestic Total depth of well 180.0'
Size of drilled hole 10" Thickness of casing about $\frac{1}{4}$ "
Weight of casing per linear foot Quality of casing Cast Iron
Diameter and length of casing 10" x about 20'
(Casing 12" in diameter and under give inside diameter; casing over 12" in diameter give outside diameter.)
If flowing well give flow in c.f.s. and pressure Not flowing well
If nonflowing well give depth of standing water from surface about 20'
If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well about Feb., 1942 Date of completion of well about February, 1942

Type of well rig

Screens, seals, plugs, grouts, etc.	Well diagram	Formations. State if dry or water bearing	Kind of casing, liner, shoe, etc.
	<p>DIAMETER OF PIPE AND WELL IN INCHES</p> <p>8' 6' 4' 2' 0' 2' 4' 6' 8'</p>	<p>Consist mostly of gravel and some large boulders</p>	<p>Chief aquifer (water-bearing formation) from to ft.</p> <p>Other aquifers</p> <p>Casing perforated from 20 to about 80</p> <p>Size of perforations about 1"</p>

WELL LOG AND REPORT
TO STATE ENGINEER
OF NEVADA

Under
Permit to Appropriate Water

Serial No.

STATE OF NEVADA
ENGINEER'S OFFICE

Filed

Permittee

Address

