

AMENDED REPORT

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

OFFICE USE ONLY
Log No. 70152
Permit No. _____
Basin 212

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 16673

1. OWNER Atlantia Design ADDRESS AT WELL LOCATION _____
MAILING ADDRESS 3260 Industrial Road _____
Las Vegas, NV 89109 Bellagio Hotel
2. LOCATION SW 1/4 SE 1/4 Sec. 20 T. 21 N/S R. 61 E Clark County
PERMIT NO. 24246 162-20-501-002 Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
<u>Pump (12 sack sand slurry cement grout from 790' to surface</u>				
<u>24 yards</u>				
<u>Waiver No. R-1016</u>				
<u>2" Tremmie pipe passed obstruction at 420' to 790'</u>				

8. WELL CONSTRUCTION
Depth Drilled _____ Feet Depth Cased _____ Feet

HOLE DIAMETER (BIT SIZE)
From _____ To _____
Inches _____ Feet _____ Feet
Inches _____ Feet _____ Feet
Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>8 5/8</u>			<u>0</u>	<u>300</u>
<u>12 3/4</u>			<u>0</u>	<u>TD</u>

Perforations: slots Holte Perforater
Type perforation _____
Size perforation 3/16 x 1 1/2 4 rows
From 0 feet to 300 feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No unknown Seal Type: unknown
Depth of Seal 790 Neat Cement
Placement Method: Pumped 12 Cement Grout
 Poured Concrete Grout

Gravel Packed: Yes No
From _____ feet to _____ feet

9. WATER LEVEL
Static water level 80 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature _____ °F Quality _____

Date started March 8, 1998
Date completed March 11, 1998

7. WELL TEST DATA

TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Thompson Drilling Co., Inc. Contractor
Address 7227 Hauck Street Contractor
Las Vegas, NV 89118


Nevada contractor's license number 4286A
issued by the State Contractor's Board.

Nevada driller's license number issued by the 856
Division of Water Resources, the on-site driller

Signed Richard K. Thompson
By driller performing actual drilling on site or contractor



Date April 12, 2000

RECEIVED
00 APR 17 PM 2:30
STATE ENGINEERS OFFICE



THOMPSON DRILLING CO., INC.

DRILLING • PUMPING EQUIPMENT



Memorandum

To: Tom Gallagher, State Engineer
CC: Wyatt Defreitas, Atlandia Design; Dwight Smith, Stantech; Vince Pizzi, Marnell Corrao
From: Richard K. Thompson
Date: 4/18/00
Re: Amended Well Drillers Reports

Attached please find a copy of the second Amended Well Drillers Report for one of the wells Thompson Drilling Co., Inc. abandoned for Atlandia Design.

If clarification is required, please advise.

RTK/PLB

RECEIVED

00 APR 21 PM 12:48

Subject: [illegible]