

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 27261

Consultant:

1. OWNER GroundWater Resources Consultants, Inc. ADDRESS AT WELL LOCATION Rocketdyne NFL
 MAILING ADDRESS 6200 E. 14th Street, Suite A200 2575 Whiskey Springs Road Area D
Tucson, AZ 85711 Warm Springs (Palomino Valley)
 2. LOCATION SW 1/4 SE 1/4 Sec 12 T. 22N N/S R. 21 E Washoe County
 PERMIT NO. M/O 431-B D-6B Parcel No. 77-110-01 Palomino Valley Unit 1 12-2-1-5
Issued by Water Resources Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

| Material | Water Strata | From | To | Thick-ness |
|--|--------------|------|----|------------|
| Static Water Level: Not known | | | | |
| Total Depth: 101 feet | | | | |
| 1. Measure total depth | | | | |
| 2. Glue threaded adapter to existing casing | | | | |
| 3. Set tremie pipe to bottom of casing | | | | |
| 4. Pump neat cement from bottom to surface 7 sacks | | | | |
| 5. Pull tremie, fill casing & attach discharge from cement pump directly to casing | | | | |
| 6. Pump cement @140 PSI squeezing cement through perforations into surrounding formation 1 sack | | | | |
| 7. Remove Monument, cut casing below grade & finish at grade | | | | |
| Equipment: High pressure cement pump & mixer 100 feet of 1 inch dia tremie pipe | | | | |
| Materials: 8 sacks Portland Cement Type II | | | | |
| Location: 140 ft. S of Whiskey Springs Rd Nested with Wells D-6C & D-6A | | | | |
| <u>Orig. Completion log 38795</u> | | | | |

8. WELL CONSTRUCTION

Depth Drilled _____ Feet Depth Cased _____ Feet

HOLE DIAMETER (BIT SIZE)
 From _____ To _____
 Inches _____ Feet _____ Feet
 Inches _____ Feet _____ Feet
 Inches _____ Feet _____ Feet

CASING SCHEDULE

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
| | | | | |
| | | | | |
| | | | | |

Perforations:
 Type perforation _____
 Size perforation _____
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From _____ feet to _____ feet

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

| G.P.M. | Draw Down (Feet Below Static) | Time (Hours) |
|--------|-------------------------------|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |

Date started 2-22-97, 19____
 Date completed 2-22-97, 19____

9. WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name WAYNE DRILLING, INC. Contractor
 Address P.O. BOX 12370 Contractor
RENO, NEVADA 89510
 Nevada contractor's license number 0022549
 issued by the State Contractor's Board
 Nevada driller's license number 908 issued by the Division of Water Resources the on-site driller
 Signed [Signature] By driller performing actual drilling on site or contractor
 Date June 2, 1997

RECEIVED
 JUN 20 1997
 DIVISION OF WATER RESOURCES