

Log No. 72093
 Permit No. _____
 Basin 84

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 31437

1. OWNER Jay & Michelle Killgore ADDRESS AT WELL LOCATION _____
 MAILING ADDRESS 4800 Hidden Creek Rd. _____
Reno, NV 89510 _____
 2. LOCATION NW 1/4 NW 1/4 Sec. 12 T 22 N/S R. 21 E Washoe _____
 PERMIT NO. N/A 077-110-25 Dalson NV. Unit 1 12.2.1.1. per 4 _____
 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED 203
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Topsoil		0	2	2
Brown Clay	x	2	17	15
Redish clay w/multi-colored course gravel	x	17	85	68
Multi-colored boulders and gravel	x	85	90	5
Green volcanic rock		90	122	32
Gray sandy clay		122	171	49
Pink clay		171	183	12
Multi-colored Rock		183	196	13
Lt Green Rock w/clay		196	280	84
Lt Brown clay		280	290	10
soft green rock		290	306	16
Lt green clay		306	322	16
soft green rock		322	340	18
Gray volc Rock		340	442	102
Hard green rock	x	442	480	38
Green clay		480	488	8
Red Volc Rock		488	495	7
Multi-colored volc rock		495	498	3
Red volc rock	x	498	600	102

Note: Customer would not allow me to plug and Abandon old after new one was completed. New well was plugged back from 600' to 483' w/Portland Type II cement. See 74817

8. WELL CONSTRUCTION
 Depth Drilled 600' Feet Depth Cased 483' Feet
 HOLE DIAMETER (BIT SIZE)
 From 10 Inches 0 Feet 460 Feet
 To 6 1/8" Inches 460 Feet 600 Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6 5/8	14	.188	-1	460
5	12	.188	458	483

Perforations:
 Type perforation Mill Slot
 Size perforation 1/8" x 3"
 From 463 feet to 483 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 105+ Neat Cement
 Placement Method: Pumped Cement Grout
 Poured Concrete Grout
 Bentonite
 Gravel Packed: Yes No
 From none feet to none feet

9. WATER LEVEL
 Static water level 171' feet below land surface
 Artesian flow none G.P.M. none P.S.I.
 Water temperature 70+ °F Quality good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name MILLER & SONS DRILLING CO. Contractor
 Address P.O. Box 8056 Reno, NV 89507 Contractor
 Nevada contractor's license number issued by the State Contractor's Board 37915
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1418
 Signed Bruce Miller
 By driller performing actual drilling on site or contractor
 Date 6-19-98

Date started 2-27-98, 19____
 Date completed 6-13-98, 19____

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
Approx.	<u>3</u>	<u>480</u>	<u>9.5</u>